AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

- (currently amended) Peptide nucleic acid (PNA) comprising 12 to 24 nucleotide bases, said peptide nucleic acid being complementary to the sense-or-antisense filament-strand of human N-mvc gene.
- 2. (currently amended) The peptide nucleic acid (PNA) according to claim 1, in which antisense PNA (5'-TCCACCCAGCGCGTCC-3')-SEQ ID NO: 1 is an only-a sequence complementary to 5'-UTR region of human N-myc gene.
- (previously presented) The peptide nucleic acid (PNA) according to claim 1, in which PNA is conjugated with a carrier that can get through the nuclear membrane of target cells expressing N-myc gene.
- (currently amended) The conjugated peptide nucleic acid (PNA) according to claim 3, in which said carrier is conjugated in 3' poeition-to-end of PNA sequence.
- 5. (currently amended) The peptide nucleic acid (PNA) according to claim 3, in which said carrier is chosen among the following peptide sequences:

PKKKRKVSEQ ID NO: 8:

RQIKIWFQNRRMKWKKSEQ ID NO: 9;

GWTLNSAGYLLGKINLAALAKKILSEQ ID NO: 10;

D)-KKWKMRRNQFWVKVQRSEQ ID NO: 11:

GRKKRRQRRRPPQSEQ ID NO: 12:

YGRKKRRQRRRSEQ ID NO: 13:

MSVLTPLLLRGLTGSARRLPVPRAKIHSLSEQ ID NO: 14:

KFFKFFKFFKSEQ ID NO: 15:

KKKKSEQ ID NO: 16.

6. (currently amended) The peptide nucleic acid (PNA) according to claim 3, in which conjugated PNA is a sense anti-gene PNA-or-an-antisense-anti-gene-PNA.

- 7. (currently amended) The peptide nucleic acid (PNA) according to claim 6, in which sense anti-gene PNA or antisense anti-gene PNA (5'-ATGCCGGGCATGATCT-3'SEQ ID NO: 3; antisense anti-gene: 5'-AGATCATGCCCGGCAT-3') are—is_complementary to a exone 2 sequence of N-myc gene.
- 8. (currently amended) The peptide nucleic acid (PNA) according to claim 3, in which sense anti-gene PNA er-antisense anti-gene PNA are conjugated in 3' with a nuclear localization signal (NLS) deriving from SV40 virus (peptide sequence PKKKRKVSEQ ID NO: 8).
- (previously presented) A pharmaceutical composition comprising a peptide nucleic acid PNA according to claim 1.
- 10. (withdrawn) A method to treat genetic diseases comprising the step of using a peptide nucleic acid PNA according to claim 1.
- 11. (withdrawn) The method according to claim 10, wherein the genetic diseases are tumors associated to the expression of N-MYC protein.
- 12. (withdrawn) The method according to claim 10, wherein the genetic deseases are tumors selected from the group consisting of neuroblastoma, retinoblastoma, medulloblastoma, glioblastoma, astrocytoma or lung small cell tumor, rhabdomyosarcoma and B-type lymphoblastic acute leukemias.
- 13. (currently amended) The peptide nucleic acid (PNA) according to claim 4, in which said carrier is chosen among the following peptide sequences:

PKKKRKVSEQ ID NO: 8:

RQIKIWFQNRRMKWKKSEQ ID NO: 9:

GWTLNSAGYLLGKINLAALAKKILSEQ ID NO: 10;

D) KKWKMRRNQFWVKVQRSEQ ID NO: 11:

GRKKRRQRRRPPQSEQ ID NO: 12:

YGRKKRRQRRRSEQ ID NO: 13;

MSVLTPLLLRGLTGSARRLPVPRAKIHSLSEQ ID NO: 14:

KFFKFFKFFKSEQ ID NO: 15:

KKKKSEQ ID NO: 16.

- 14. (currently amended) The peptide nucleic acid (PNA) according to claim 4, in which conjugated PNA is a sense anti-gene PNA-or-an-antisense-anti-gene-PNA.
- 15. (currently amended) The peptide nucleic acid (PNA) according to claim 5, in which conjugated PNA is a sense anti-gene PNA-or an antisense anti-gene PNA.
- 16. (currently amended) The peptide nucleic acid (PNA) according to claim 14, in which sense anti-gene PNA or antisense anti-gene PNA or antisense anti-gene PNA (5'-ATGCCGGGCATGATCT-3'SEQ ID NO: 3; antisense anti-gene: 5'-AGATCATGCCCGGCAT-3') are—is_complementary to a exone 2 sequence of N-myc gene.
- 17. (currently amended) The peptide nucleic acid (PNA) according to claim 15, in which sense anti-gene PNA or antisense anti-gene PNA (5'-ATGCCGGGCATGATCT-3'SEQ ID NO: 3; antisense anti-gene: 5'-AGATCATGCCCGGCAT-3') are—is_complementary to a exone 2 sequence of N-myc gene.